



PROPERTY LIFTS

Since 1988



Installation-Commissioning
and Maintenance



24/360°
Service

An Enterprise of



আর এফ এল



Bangladesh Lift Industries Ltd.

Property LIFTS- The leading importer and supplier of LIFTS, Escalators, Cargo Lifts, Hospital Lifts, Capsule lifts and forklifts in Bangladesh. Since 1988, **Property Lifts** is serving the market with the best and all type of performer lifts and Escalators from Europe and China.

Why Property Lifts:

- *Best in Quality & Safety*
- *Very Competitive Prices*
- *Very experienced installation & Maintenance team consisting of professional engineers.*
- *Proven and Quickest call attending arrangement within 30 minutes.*
- *Our focus to be the BEST SERVICE PROVIDER in the country.*

OUR CORPORATE MISSION
POVERTY & HUNGER ARE CURSES
OUR AIM :
TO GENERATE EMPLOYMENT &
EARN DIGNITY & SELF-RESPECT
FOR OUR COMPATRIOTS
THROUGH PROFITABLE ENTERPRISES

BRANDS, We Sell :

Lifts

 <p>SRH SAFE REACH ORIGIN of Germany & China</p>	 <p>MP MACPUAR S. A. of SPAIN</p>	 <p>上海三菱电梯有限公司 SHANGHAI MITSUBISHI ELEVATOR CO.,LTD.</p>
---	--	--



PROPERTY LIFTS

CONTENTS

Passenger Lift

Capsule Lift

Hospital Lift

Cargo Lift

Car Lift

Car Parking Lift

Hydraulic Platform Type Lift

Escalator

Installation-Commissioning and Maintenance

Product series

Property lifts provide series products of high speed elevator, small machine room / machine roomless passenger elevator, observation elevator, home elevator, bed elevator, fireman elevator, freight elevator, car elevator, escalator, moving walk and three dimensional parking system, which provide vertical traffic solution for all kinds of buildings in the world, such as public building, commercial building, residential building, industrial building and so on.

Product	Type	Load Range (kg)	Speed Range (m/s)
Passenger Elevator	GRPS20	400~2000	1.0/1.75/2.0/2.5/3.0/3.5/4.0
	GRPS30	630~1600	1.0/1.75/2.0
	GRPS50	630~1050	1.0/1.75/2.0
	GRPS70	1000~1600	4.5/5.0/5.5/6.0/6.5/7.0/8.0
	GRPN20	400~1600	1.0/1.6/1.75/2.0
	GRPS20F	800~1600	1.0/1.75/2.0/2.5
Bed Elevator	GRBS	1000~2000	1.0/1.75/2.0/2.5
Observation Elevator	GROS	630~1600	1.0/1.75/2.0/2.5
Home Elevator	GRV20	250~400	0.22/0.28/0.3/0.4
Car Elevator	GRA10	3000~5000	0.25/0.5
Freight Elevator (Traction)	GRF	1000~5000	0.25/0.5/1.0
Freight Elevator (Hydraulic)	GRFH10	1000~5000	0.25/0.5

Product	Type	Inclination	Step (pallet) Width	Rise/Span
Escalator (Commercial)	GRE20	27.3°	600/800/1000	H≤7.5m
		30°	600/800/1000	H≤7.5m
		35°	600/800/1000	H≤6m
	GRE30	27.3°	600/800/1000	H≤16m
		30°	600/800/1000	H≤16m
Escalator (Public traffic)	GRE50	27.3°	600/800/1000	H≤30m
		30°	600/800/1000	H≤30m
Moving walk	GRM20	10°/11°/12°	800/1000	H≤8m
	GRM15	0°-6°	800/1000	L≤150m





Passenger Lift

We are catering to wide requirements of our clients. These passenger lifts are regular traction lifts which are used for carrying passengers in low and medium rises. Our services are executed with in the shortest time frame under the supervision of our team of experts who make sure that the lifts remain functional for longer period of time. We offer Passenger Lifts that are designed in compliance with international quality standard. Our lifts can fit and work where standard alternatives are not suitable. These are widely used in corporate buildings and residential & commercial apartments.



PROPERTY LIFTS




Specifications of Passenger Lift : (Machine Room Type)

Persons	Rated capacity (kg)	Rated speed (m/s)	Net size of car (mm)	Net size of door D.WxD.H (mm)	Hoistway size (mm)			Machine room size (mm)		Max traveling height (m)
			C.W x C.D	2P Central opening	H.W x H.D	HR.H	P.H	MR.W x MR.D	MR.H	
6	450/480	1.0	1100×1000	700×2100	1700×1650	4500	1500	1700×1650	2900	45
8	630	1.0	1400×1100	800×2100	2000×1750	4500	1500	2000×1750	2900	45
		1.6/1.75				4600	1700			95
10	800	1.0	1400×1350	800×2100	2000×2000	4500	1500	2000×2000	2900	45
		1.6/1.75				4600	1700			95
13	1000	1.0	1600×1500	900×2100	2200×2150	4500	1500	2200×2150	2900	45
		1.6/1.75				4600	1700			95
		1.0	*1100×2100		*2100×2600	4500	1500	*2100×2600		45
		1.6/1.75				4600	1700			95
15	1150	1.0	1700×1500	1000×2100	2300×2150	4500	1500	2300×2150	2900	45
		1.6/1.75				4600	1700			95
16	1250	1.0	1950×1400	1100×2100	2600×2050	4500	1500	2600×2050	2900	45
		1.6/1.75				4600	1700			95
18	1350	1.0	1950×1550	1100×2100	2600×2200	4500	1500	2600×2200	2900	45
		1.6/1.75				4600	1700			95
21	1600	1.0	1950×1750	1100×2100	2600×2400	4500	1500	2600×2400	2900	45
		1.6/1.75				4600	1700			95
26	2000	1.0	2100×1950	1200×2100	2800×2600	4500	1500	2800×2600	2900	45
		1.6/1.75				4600	1700			95


Passenger Lift



Small Machine Room Passenger Lift (Gearless)



GRPN20 machine roomless Lift construction sketch



GRPN20 machine roomless elevator specifications

Persons	Rated capacity (kg)	Rated speed (m/s)	Net size of car (mm)	Net size of door D.WxD.H (mm)	Hoistway size (mm)			Max. traveling height (m)
			C.W x C.D	2P Central opening	H.W x H.D	O.H	P.D	
10	630	1.0	1400x1100	800x2100	2200x1700	4000	1600	45
		1.75				4100		60
	800	1.0	1400x1350	800x2100	2200x1850	4000	1600	45
		1.75				4100		60
13	1000	2.0	1600x1500	900x2100	2400x1950	4200	1700	75
		1.0				4000		45
	1250	1.75	1950x1400	1100x2100	2950x1850	4100	1600	60
		2.0				4200		75
18	1350	1.0	1950x1550	1100x2100	2950x2000	4300	1600	45
		1.75				4400		60
	1600	2.0	1950x1750	1100x2100	2950x2200	4500	1700	75
		1.0				4300		45
		2.0				4700	1700	75

Passenger Lift



PROPERTY LIFTS

Machine Roomless (MRL) Passenger Lift

Passenger Lift



PROPERTY LIFTS

Passenger Elevator (Cabin)



RJ027

Car wall: A combination of rose gold etched stainless steel mirror and hairline etched stainless steel

Ceiling : Mirror stainless steel frame, acrylic translucent panel in the middle and down light illumination on both sides (RD015)

Floor : PVC (RPV008)

Car door: Rose gold stainless steel

Operation box: RC009

RJ031

Car wall: A combination of mirror stainless steel mirror and hairline etched stainless steel

Ceiling : Mirror stainless steel frame, crystal column in the middle and down light illumination on both sides (RD018)

Floor : PVC (RPV008)

Car door: Mirror stainless steel

Operation box: RC009



H-71

Decoration: St./St. etching mirror finished
Door Decoration: Main landing St./St. etching mirror finished others landing hairline finished.

Green Leaf

Decoration: St./St. etching mirror finished
Door Decoration: Main landing St./St. etching mirror finished others landing hairline finished.

Passenger Elevator (Cabin)

Passenger Lift



RJ-011
Car wall: Hairline stainless steel finished
Car door: Hairline stainless steel finished



RJ- 016
Car wall: Hairline stainless steel finished
Car door: Hairline stainless steel finished



RJ- 039
Car wall: Hairline stainless steel finished
Car door: Hairline stainless steel finished



RJ-013
Decoration: St./St. etching mirror finished
Door Decoration: Cabin and main landing St./St. etching mirror finished others landing hairline finished.



UJ-021
Decoration: St./St. etching mirror finished
Door Decoration: Cabin and main landing St./St. etching mirror finished others landing hairline finished.



RJ-018
Car door: Stainless steel etching mirror finished.
Cabin Decoration: St./St. golden etching mirror finished.

Home Lift



RHX01 (Optional)

Car wall: Hairline stainless steel plate, mirror etching
Ceiling: RHT10 Mirror stainless steel plate, acrylic light, downlight illumination
Floor: RHD06 (PVC)



RHX02 (Optional)

Rear wall: Stainless steel + lower glass (frosted glass) + upper glass (frosted glass)
Side wall: Stainless steel + lower glass (frosted glass) + upper glass (specular glass)
Front wall: Hairline stainless steel
Car door: Hairline stainless steel
Ceiling: RHT04 Mirror stainless steel frame, downlight illumination on both sides
Handrail: Hairline stainless steel (RF001), single on rear wall
Floor: RHD05 (PVC)



RHX03 (Optional)

Rear wall: Bronze mirror stainless steel on two sides, bronze mirror etched stainless steel in the middle, marble escutcheon
Side wall: Bronze mirror stainless steel on two sides, wood trim in the middle, hairline trim, marble escutcheon
Front wall: Bronze mirror stainless steel
Car door: Stainless steel coated with bronze
Lintel beam: Stainless steel coated with bronze
Ceiling: RHT07 Titanium stainless steel frame, transparent acrylic board in the middle, downlights on two sides, ring light in the middle
Handrail: Solid wood (RF008), single on rear wall
Floor: RHD13 (PVC)



RHX05 (Optional)

Rear wall: Sand blasting stainless steel coated with bronze, etched stainless steel
Side wall: Sand blasting stainless steel coated with bronze, mirror stainless steel
Front wall: Sand blasting stainless steel coated with bronze
Car door: Sand blasting stainless steel coated with bronze
Transom: Mirror stainless steel coated with black
Ceiling: RHT06 stainless steel coated with bronze, downlight (LED)
Handrail: RF008 (stainless steel coated with bronze) single on rear wall
Floor: RHD12 (PVC)



RHX06 (Standard)

Car wall: Hairline stainless steel plate
Ceiling: RHT04 Mirror stainless steel frame, downlight illumination on both sides
Floor: RHD01 (PVC)

Home elevator landing door series



RHM08
(Standard)




RHM09
(Optional)



Landing door

RT011 (Standard)

Landing Door	Hairline stainless steel
Jamb	Hairline stainless steel (narrow type)




RT011



RT012


RT012 (Standard)

Landing Door	Painted steel plate (RS004)
Jamb	Painted steel plate (RS004) (narrow type)



RT101 (Optional)

Landing Door	Hairline stainless steel on two ends + safety glass
Jamb	Hairline stainless steel (straight wall cover)




RT101



RT1014


RT014 (Optional)

Landing Door	Etched stainless steel
Jamb	Hairline stainless steel (straight wall cover)




RT015 (Optional)

Landing Door	Etched stainless steel
Jamb	Hairline stainless steel (slant wall cover)




RT015



RT016

RT016 (Optional)

Landing Door	Mirror Ti-gold etched St.St
Jamb	Mirror Ti-gold St.St (slant wall cover)



Classical decoration

Ceiling

**RD006** (Optional)

Hairline stainless steel frame, translucent panels in the middle and down light illumination on both sides.

**RD006****RD011** (Optional)


Mirror stainless steel frame, translucent acrylic panel, middle down light illumination.

**RD011****RD014** (Optional)

Mirror stainless steel frame, LED crystal light.

**RD014****RD015** (Optional)

Mirror stainless steel frame, acrylic translucent panels in the middle and down light illumination on both sides.

**RD015****RD017** (Optional)

Painted steel frame, crystal light.

**RD017****RD018** (Optional)

Mirror stainless steel frame, crystal column in the middle and down light illumination on both sides.

**RD018****RD045** (Optional)

Hairline stainless steel, LED square lamp, down light.

**RD045****RD046** (Optional)

Hairline stainless steel, down light.

**RD046**



ORIGIN of Germany & China

Passenger Elevator (Ceiling)



RD015

UD010

UD018

RD014



RC004



RZ004-1-3



RC009



RZ004-1-3
Simplex



UC002



UZ002



UC004



UZ004



UF002



UF006



UF010



RF001



RF002



RF005

Steel floor Samples



UPV002



UPV006



UPV007



UPV008

Passenger Lift



PROPERTY LIFTS



MACPUAR S. A. of SPAIN

STYLE
Melamine 3D textile
Extruded Polystyrene
Laminate

Range **newform**
Plastic coated
chipboard
(melamine)

Finish
NE04 Fresno

WALL: NE04 Fresno | FLOOR: G02 Natural Granite Pink
CEILING: L100 | MIRROR: Full with Band | OPERATING PANEL
FRAME: AL11 Grey | OPERATING PANEL: FUSION COLOR AC7
DISPLAY: LCD | HANDRAIL: P13X12 | SKIRTING: AL12 Natural

These finishes are shown in the photo below



WALL: NE04 Fresno

OTHER FINISHES



NE02 Golden Rot NE05 White Orchid

WALL: NE05 White Orchid | FLOOR: R60 Vinyl Stone Sand Concrete
CEILING: L61 | MIRROR: Width of Panel | OPERATING PANEL
FRAME: AL11 Grey | OPERATING PANEL: FUSION COLOR ACS
DISPLAY: LCD | HANDRAIL: P12X12 | SKIRTING: AL12 Natural

These finishes are shown in the photo below



WALL: NE05 White Orchid



NE02 Golden Rot NE04 Fresno

STYLE
Melamine 3D textile
Extruded Polystyrene
Laminate

Range **newform**
Plastic coated
chipboard
(melamine)

Finish
NE05 White Orchid

STYLE
Melamine 3D textile
Extruded Polystyrene
Laminate

Range **texton**
Chipboard
with textile
covering

Finish
TE02 Cherry

WALL: TE02 Cherry | FLOOR: R60 Vinyl Stone Sand Concrete
CEILING: L21 | MIRROR: Width of Panel | OPERATING PANEL
FRAME: AL11 Grey | OPERATING PANEL: FUSION JL A14
DISPLAY: TFT | HANDRAIL: P13X12 | SKIRTING: AL12 Natural

These finishes are shown in the photo below



WALL: TE02 Cherry

OTHER FINISHES



TE04 Blue Silk TE05 Golden Bamboo

WALL: TE04 Blue Silk | FLOOR: R60 Vinyl Stone Sand Concrete
CEILING: L96 | MIRROR: Width of Panel | OPERATING PANEL
FRAME: AL11 Grey | OPERATING PANEL: FUSION JL A13
DISPLAY: LCD | HANDRAIL: P13X12 | SKIRTING: AL12 Natural

These finishes are shown in the photo below



WALL: TE04 Blue Silk



TE02 Cherry TE05 Golden Bamboo

STYLE
Melamine 3D textile
Extruded Polystyrene
Laminate

Range **texton**
Chipboard
with textile
covering

Finish
TE04 Blue Silk

Passenger Lift

Car Lift



PROPERTY LIFTS



MACPUAR S. A. of SPAIN


Passenger Lift

VILITER
Plastic-coated steel

Range **koloro** Finish
K01 White
Solid colours

L100
WALL: K01 White | FLOOR: R24 Circle Black | CEILIN G:
MIRROR: Full with Band | OPERATING PANEL FRAME: AL11
OPERATING PANEL: FUSION COLOR
DISPLAY: LCD | HANDRAIL: P13X12 | SKIRTING : AL12 Natural

!p! These finishes are shown in the photo below.




WALL: K04 Night Black | FLOOR: G59 Artificial Granite White
CEILIN G: L40 | MIRROR: Width of Panel | OPERATING PANEL
FRAME: AL04 Black | OPERATING PANEL: FUSION COLOR AC4
DISPLAY: TFT | HANDRAIL: P12X12 | SKIRTING : AL12 Natural

VILITER
Plastic-coated steel

Range **koloro** Finish
K04 Night Black
Solid colours

!p! These finishes are shown in the photo below.



VILITER
Plastic-coated steel

Range **koloro** Finish
K10 Atlantic Blue
Solid colours

WALL: K10 Atlantic Blue | FLOOR: G53 Artificial Granite Night Milt
CEILIN G: L97 | MIRROR: Width of Panel | OPERATING PANEL
FRAME: AL11 Grey | OPERATING PANEL: FUSION COLOR AC7
DISPLAY: LCD | HANDRAIL: P13X12 | SKIRTING : AL12 Natural

!p! These finishes are shown in the photo below.



WALL: K11 Techno Grey | FLOOR: R28 Circle Grey
CEILIN G: L95 | MIRROR: Width of Panel | OPERATING PANEL
FRAME: AL04 Black | OPERATING PANEL: FUSION COLOR AC2
DISPLAY: TFT | HANDRAIL: P13X12 | SKIRTING : AL12 Natural

VILITER
Plastic-coated steel

Range **koloro** Finish
K11 Techno Grey
Solid colours

!p! These finishes are shown in the photo below.



PROPERTY LIFTS



MACPUAR S. A. of SPAIN

Passenger Lift

STYLE


Melamine 3D tactile Extruded Polystyrene Laminate

Range **texton**
Cryboard with tactile covering

Finish **TE05 Golden Bamboo**

WALL: TE05 Golden Bamboo | FLOOR: G53 Artificial Granite Night Mist
CEILIN G: L24 | MIRROR: Partial Panel Width | OPERATING PANEL
FRAME: AL11 Grey | OPERATING PANEL: FUSION JI A13
DISPLAY: LCD | HANDRAIL: P13X12 | SKIRTING: AL12 Natural

! These finishes are shown in the photo below



OTHER FINISHES



WALL: NA01 Oak Nature | FLOOR: R60 Vinyl Stone Sand Concrete
CEILIN G: L100 | MIRROR: Full with Band | OPERATING PANEL
FRAME: AL11 Grey | OPERATING PANEL: FUSION COLOR AC7
DISPLAY: LCD | HANDRAIL: P13X12 | SKIRTING: AL12 Natural

! These finishes are shown in the photo below

STYLE

Melamine 3D tactile Extruded Polystyrene Laminate

Range **nature**
Extruded Polystyrene Laminate

Finish **NA01 Oak Nature**



OTHER FINISHES



STYLE

Melamine 3D tactile Extruded Polystyrene Laminate

Range **nature**
Extruded Polystyrene Laminate

Finish **NA04 Olmo**

WALL: NA04 Olmo | FLOOR: G53 Artificial Granite Night Mist
CEILIN G: L95 | MIRROR: Width of Panel | OPERATING PANEL
FRAME: AL11 Grey | OPERATING PANEL: FUSION COLOR AC7
DISPLAY: LCD | HANDRAIL: P13X12 | SKIRTING: AL12 Natural

! These finishes are shown in the photo below



OTHER FINISHES



WALL: X02 SB Finish Stainless Steel | FLOOR: G01 Natural Granite Black
CEILIN G: L21 | MIRROR: Width of Panel | OPERATING PANEL
FRAME: AL11 Grey | OPERATING PANEL: FUSION COLOR AC7
DISPLAY: LCD | HANDRAIL: P13X12 | SKIRTING: X02 SB Finish Stainless Steel

! These finishes are shown in the photo below

SUPRA

Stainless steel

Finish **X02 SB Finish Stainless Steel**



OTHER FINISHES



PROPERTY LIFTS









MACPUAR S. A. of SPAIN

mplifts.com

Car **Finishes** ▯ HANDRAILS | MIRRORS

Passenger Lift

▼ HANDRAILS	
	
P13X12	P12X12
	
P13X25	P12X25
	
P13E04	P12E04

▼ MIRRORS		
		
Full	Width of Panel	Partial
		
Full with Band	Partial Panel Width	

▯ Choose your **HANDRAILS | MIRROR**



PROPERTY LIFTS



MACPUAR S. A. of SPAIN

Car Finishes ≡ CEILING

mplifts.com

▼ H80 LIGHTING




L21



L24



L40




L150



L151




L95 (600 mm x 600 mm) fixed measurements



L100

Design and eco-efficiency

Ceilings may have LED lighting. With LED technology, guaranteed service life is 2 years, meaning considerably less maintenance work.



Passenger Lift



PROPERTY LIFTS



Car **Finishes** ▣ OPERATING PANELS

mplifts.com

Versatility and design within your reach

We offer you a wide range of operating panels of different colors, as well as stainless steel ones and ones with photographs, which you can choose from our selection or use your own.



A new concept for operating panels

Hinged operating panel with easy access for maintenance work.
 Sizes in mm: 1535 x 240

▼ FRAME OF OPERATING PANEL



▲ AL04 **Black***

▲ AL11 **Grey**

mplifts.com

Car **Finishes** ▣ OPERATING PANELS

▼ FUSION COLOR OPERATING PANEL



▲ SUPRA X02

▲ SUPRA X12

▲ SUPRA X13

▲ SUPRA X16

▲ SUPRA X22

▲ SUPRA X25







上海三菱电梯有限公司
SHANGHAI MITSUBISHI ELEVATOR CO.,LTD.

Passenger Lift



New Classics



Jueshi House / ZCD-022X 

Car Ceiling

ZCL-GS08

Operation Panel

ZCBB02-1710

(Mirror Titanium-coated ZDT-006 Panel) (Can select other models)

Front Wall

Mirror Titanium-coated Stainless Steel (ZDT-006)

Side Walls

Two-side Mirror Titanium-coated Stainless Steel (ZDT-006)

Central Hairline Etched and Antique Bronze Treated Stainless Steel (ZHF-002)

Back Wall

Two-side Pressed-film Steel Sheet (ZYM-016)

Central Hairline Etched and Antique Bronze Treated Stainless Steel (ZHF-002)

Car Door

Mirror Titanium-coated Stainless Steel (ZDT-006)

Lintel

Mirror Titanium-coated Stainless Steel (ZDT-006)

Handrails

Three-side Stainless Steel Round Handrails (ZYH-RH01)
(Can provide none or select other models)

Floor

Marble Floor (ZSC-014) (Can select other models)



PROPERTY LIFTS



上海三菱电梯有限公司
SHANGHAI MITSUBISHI ELEVATOR CO.,LTD.



Guixin House / ZCD-019X LED

- Car Ceiling**
ZCL-GS16 (Color code: Y033)
- Operation Panel**
ZCBA11-T710
(Mirror Panel)(Can select other models)
- Front Wall**
Mirror Stainless Steel
- Side Walls**
Two-side Mirror Stainless Steel
Central Laminated Steel Sheet (ZYM-014)
- Back Wall**
Two-side Mirror Stainless Steel
Central Mirror Etched Stainless Steel (ZHY-013)
- Car Door**
Mirror Stainless Steel
- Lintel**
Mirror Stainless Steel
- Floor**
Marble Floor (ZSC-002) (Can select other models)

Modern Luxury





上海三菱电梯有限公司
SHANGHAI MITSUBISHI ELEVATOR CO.,LTD.

Passenger Lift



Juying Cabinet / ZCD-023G LED

Car Ceiling

ZCL-DS13

Operation Panel

ZCBA23-T310

(Titanium-coated ZDT-005 Panel with Irregularly-polished Lines)

(Can select other models)

Front Wall

Titanium-coated Stainless Steel with Irregularly-polished Lines (ZDT-005)

Side Walls

Titanium-coated Stainless Steel with Irregularly-polished Lines (ZDT-005)

Back Wall

Two-side Titanium-coated Stainless Steel with Irregularly-polished Lines (ZDT-005)

Central Mirror Stainless Steel

Car Door

Titanium-coated Stainless Steel with Irregularly-polished Lines (ZDT-005)

Lintel

Titanium-coated Stainless Steel with Irregularly-polished Lines (ZDT-005)

Handrails

Three-side Stainless Steel Round Handrails (ZYH-RH01)

(Can provide none or select other models)

Floor

Marble Floor (ZSC-015) (Can select other models)



Simple



PROPERTY LIFTS



Hall Door and Jamb

E-102

Narrow Door Jamb
Applicable for wide car, deep car.



Landing Display Call: 7PIA09-G110
Landing Door Material: Painted Steel Sheet
Jamb Material: Painted Steel Sheet

E-302

Bevel (10°) Large Door Jamb
Applicable for wide car, deep car.



Landing Display Call: 7PA11-GE10
Landing Door Material: Hairline Stainless Steel
Jamb Material: Hairline Stainless Steel

E-312


Curtain Plate Type Bevel (10°) Large Door Jamb
Only applicable for wide car.



Landing Direction Light: 7HIY-H010
Landing Call: ZIBA11-G010
Landing Door Material: Hairline Etched Stainless Steel (ZHY-036)
Jamb Material: Hairline Stainless Steel

E-322

Slant Curtain Plate Bevel (10°) Large Door Jamb
Only applicable for wide car.



Landing LCD: 7PI-N301 (Elegant Brown)
Landing Call: ZIBA11-G010
Landing Door Material: Mirror Blasted Double-color Titanium-coated Stainless Steel (ZPY-U01)
Jamb Material: Mirror Titanium-coated Stainless Steel (ZDT-002)





Side Wall Full-height Operation Panel

Comply with GB/ T24477 Standard



Amber LED, Classic and Durable,

Stainless Steel Panel

The buttons are exchangeable. The figure shown is A04 button *1

ZCB■-R130(Primary)
ZCB■-180(Auxiliary)



Stainless Steel Panel

The buttons are exchangeable. The figure shown is A04 button *1

ZCB■-R530(Primary)
ZCB■-R580(Auxiliary)




Stainless Steel Panel

The buttons are exchangeable. The figure shown is A04 button *1

ZCB■-R230(Primary)
ZCB■-R280(Auxiliary)

Wheel Chair Operation Panel



ZCB■-F110(Primary)
ZCB■-F160(Auxiliary)



ZCB■-F130(Primary)
ZCB■-F180(Auxiliary)

Comply with GB/T24477 Standard

Note:

*1 Signal represents the button model. The optional buttons of the operation panel in this page are A04, A05, A06 (Complying with GB/T 24477 standard). See details in page 18.


*2 Please refer to page 21 for LCD.

*3 The difference of the appearance of ZCB F130 and ZCB F110: The button of the first floor is protruding and the frames of the two sides are black.





ZCL-DS12 (Optional)



Lighting: central direct lighting;
Material: central imported high-grade white translucent soft film,
two-side hairline etched black-plated titanium stainless steel;
Thickness: 200mm

ZCL-GS08 (Optional)



Lighting: ambient floodlight lighting, central down light direct lighting;
Material: central mirror stainless steel, ambient Painted steel plate
(color code: Y033);
Thickness: 200mm

ZCL-GS16 (Optional)



Lighting: central floodlight key lighting; two-side auxiliary lighting;
Material: central floodlight gold foil, ambient Painted steel sheet (color code:Y033, if other
colors are in need, select in accordance with the color panel palette of Shanghai Mitsubishi),
two-side acrylic crystal hanging pieces;
Thickness: 200mm

ZCL-SS07 (Optional)



Lighting: down light direct lighting;
Material: coating steel sheet ceiling (color code: Y033);
if other colors are in need, select color in accordance with Shanghai color palette);
Thickness: 100mm

ZCL-GN04 (Optional)




Lighting: central direct lighting; two-side down lamp lighting;
Materials: central milk white printed acrylic lighting board, two-side mirror acrylic boards,
aluminum alloy frame;
Thickness: 200mm

ZCL-GN05 (Optional)



Lighting: central direct lighting; two-side down lamp lighting;
Materials: central milk white printed acrylic lighting board,
two-side golden mirror acrylic panel, aluminum alloy frame;
Thickness: 200mm

ZCL-GS06 (Optional)



Lighting: central direct lighting; two-side auxiliary lighting;
Material: central milk white printed acrylic lighting board,

ZCL-GN02 (Optional)



Lighting: central down lamp lighting; two-side lighting board lighting;
Material: Hairline stainless steel ceiling panels;





CL-1 (only for wide cabin)



Car ceiling: coated steel plate*
Illumination: indirect illumination through milky-white translucent organic glass lampshade
Ventilation: plastic grids and cross-over fans

CL-13



Car ceiling: coated steel plate*
Illumination: indirect illumination through milky-white lighting panels
Ventilation: plastic grids and cross-over fans

ZCL-SP02 (only for large elevator carriages)



Car ceiling: coated steel plate*
Illumination: indirect illumination through milky-white translucent organic glass plates and direct illumination with down lamps on four corners
Ventilation: exhaust outlets and cross-over fans on two sides

ZCL-CP01 (only for large elevator carriages)




Illumination: five down lamps with energy-saving light sources on coated steel plates. Such illumination is energy saving, and avoids the heat from traditional incandescent lamps.
Ventilation: guided fan blades lead winds to the middle of the elevator carriage, so as to improve ventilation effects in summer
Feature: flat ceiling. It could avoid scratching of the ceiling when the elevator is used to carry furniture, and such a design is very suitable for residential buildings.

ZCL-CP02 (only for wide cabin)



Illumination: six down lamps with energy-saving light sources on coated steel plates. Such illumination is energy saving, and avoids the heat from traditional incandescent lamps.
Ventilation: guided fan blades lead winds to the middle of the elevator carriage, so as to improve ventilation effects in summer
Feature: flat ceiling. It could avoid scratching of the ceiling when the elevator is used to carry furniture, and such design is very suitable for residential buildings.

DD-JV-2



Car ceiling: coated steel plate*
Illumination: indirect illumination through milky-white translucent organic glass arch plates / lamp stands made of organic glass on both sides
Ventilation: exhaust outlets and crossover fans on both sides

*Note: please select colors from the Shanghai Mitsubishi decoration catalogue





ZCL-SS03



Car ceiling: coated steel plate*
Illumination: indirect illumination through three lamp shades of milky-white translucent organic glass
Ventilation: crossover fans embedded in exhaust outlets on both sides

ZCL-SS04



Car ceiling: coated steel plate*
Illumination: indirect illumination one milky-white translucent plate
Ventilation: crossover fans embedded in exhaust outlets on both sides

PARQUET FLOOR (or PVC real stone floor, with color selected from the Shanghai Mitsubishi color sample)



ZPH-002



ZPH-003



ZPH-004



ZPH-005



ZPH-007



ZPH-008



ZPH-009



ZPH-011

HANDRAILS



ZYH-FH10: flat stainless steel handrail



ZYH-RH20: round stainless steel handrail


LIST OF MATERIALS

Specification	material
Car wall	coated steel plate, hairline stainless steel
Front wall	coated steel plate, hairline stainless steel
Car door	coated steel plate, hairline stainless steel
Handrail	None, rear, side, three sides
	Round, flat
	Hairline stainless steel
Floor	PVC stone floor, nora rubber floor, parquet floor (only for wide car)



Fully computerized intellectual control system

The fully computerized modular data intellectual network controlled, high; precise and top VVVF (variable frequency speed) technology, fully demonstrate the human intelligence, the more perfect and flexible systematic functions as well. It brings about the more secure, accurate and efficient management and control to the lift operational execution. Its special-purpose modular structure can more conveniently fulfill the updating and upgrading to the elevators in the near future under the conditions of not changing its completion fully conveyance.



The highly integrated double 32-digit Intellectual and fully computerized control system brings about the more swift lift data processing with the more complete functions as well.

Multiple characteristic control modes for your choice fully parallel, fully serial, semi-serial modes.

It classically combines with the special-purpose fully digitalized vector IP frequency converter. It brings about the extremely smooth and comfortable lift running through the fully closed-loop speed feedback regulation, pre-weighting torque compensation technology.

Ultra strong breakdown from diagnosis and recording function.



- *Top advanced door operator System*

It utilizes the advanced VVVF variable voltage & variable frequency control technology to the lift door machine system so as to ensure the smooth lift door and the quiet switch. It enhances the sensitivity of the lift door switch and automatically regulates the most proper switch speed in every floor to guarantee the fine security and reliability. And the self-tuning door load detector further elevates the sensitivity of the lift door switch. It monitors the lift door load variation of each floor. When it encounters the abnormal drag, it will re-open the lift door.



Optical curtain protection



Trouble self - diagnosis system

- *Integrated driver*

The integrated controller represents the developing orientation of the lift control system. The new generation intellectual vector type integrated control system which changes the industrial pattern covers the distance control, direct parking, closed-loop vector control technology, Canbus communication technology, plural DPU travel technology, assembly and C language programming. It is the most perfect combination of the current industrial control technology, communication technology and traditional lifts.



ID/IC card identification



Voice arrival





Gearless Traction Machine



Controller



Traction Machine



Capsule Lift

We offer our clients with capsule lifts that are artistically designed to be used in manufacturing units, industries, automobile sector, hospitals and retail malls. Capsule lifts are essentially installed at a place where elevation of building is to be enhanced with display of moving lift and passenger is provided with panoramic view of its surroundings. We make use of qualitative steel sheets, aluminium sheets, brass, alloys, rubber and copper that is procured from the reliable and established vendors. These lifts are integrated with large glass viewing panel making them aesthetically attractive. The design, features and infinite options of its control is add on to its travel comfort.



GRO observation elevator

We introduce a full set of German control technology and apply modern materials and the latest processing craft & technique to produce GRO serial observation elevator products. This kind of products have the most perfect performance in lots of aspects such as the travel quality, safety functions, car model design, energy-saving and consumption reduction etc.

Capsule Lift



RJ100 (Standard)

Car cover: Baked enamel steel plus color decoration patterns
Observation wall: Laminated safety glass
Decoration roof: Round acrylic lamp in the middle, down lights on two sides
Car wall: Hairline stainless steel
Handrail: Stainless steel tube
Floor: PVC



RJ101 (Standard)

Car cover: Baked enamel steel with acrylic lighting decoration
Observation wall: Laminated safety glass
Decoration roof: Hairline stainless steel frame, acrylic light-emitting panel, down lights
Car wall: Hairline stainless steel
Handrail: Stainless steel tube
Floor: PVC



RJ102 (Optional)

Car cover: White acrylic decoration hood
Observation wall: Laminated safety glass (three pieces)
Decoration roof: Baked enamel steel frame and blue acrylic lighting strip
Car wall: Hairline stainless steel
Handrail: Stainless steel tube
Floor: PVC



RJ103 (Optional)

Car cover: Baked enamel steel with lighting decoration
Observation wall: Laminated safety glass
Decoration roof: Mirror st./st with acrylic plate
Car wall: Laminated glass
Handrail: Stainless steel tube
Floor: PVC



RJ105 (Standard)

Car cover: Baked enamel steel frame, acrylic lighting decoration
Observation wall: Laminated safety glass
Decoration roof: Steel plate baked enamel frame, acrylic roof lamp with down lights
Car wall: Hairline stainless steel
Handrail: Stainless steel tube
Floor: PVC



RJ107 (Optional)

Car cover: Baked enamel and lighting decoration
Observation wall: Laminated safety glass
Decoration roof: Baked enamel steel, acrylic lighting decoration
Car wall: Polychrome st./st.
Handrail: Stainless steel tube
Floor: PVC



RJ108 (Optional)

Car cover: Baked enamel steel, acrylic lighting decoration
Observation wall: Laminated safety glass
Decoration roof: Baked enamel steel frame, acrylic arch top plate with down lights
Car wall: Hairline stainless steel
Handrail: Stainless steel, single tube fixed on floor
Floor: PVC



RJ109 (Optional)

Car cover: Baked enamel steel, acrylic and LED down lights
Observation wall: Laminated safety glass
Decoration roof: Hairline st./st. with acrylic plate
Car wall: Hairline stainless steel
Handrail: Stainless steel tube
Floor: PVC



ELE-HY LEHY-HY055 1,050 kg)
(1.0 m/s, 1.6 m/s, 1.75 m/s)

Observation Plane	Facade semi-circular ground observation (observation angle 180°).
External Decoration Plate	Coated steel plate, metallic paint (drawing color No: ZJS-013G).
External Decoration Lighting	Up&down step scagliola shim transparent lighting.
Car Wall	Glass, hairline stainless steel, mirror stainless steel.
Car Door Type	Standard door (center open), glass door ZPKG-150A (center open).
Car door material	Hairline stainless steel, mirror stainless steel... (see P28 "Car material configuration table" for detail)
Car ceiling	STD, SPD (car ceiling shown in figure: STD).
Handrail	Facade hairline stainless steel round handrail (only in observation plane), Facade mirror stainless steel round handrail (only in observation plane).
Floor	PVC stone , concave car bottom. (Non-standard parquet floor/shown in figure: ZPH-001)

ELE-N: LEHY-NZ10S 125 kg, 1,050 kg)
(1.0 m/s, 1.6 m/s, 1.75 m/s)



Observation Plane	Observation from windows at front side.
External Decoration Plate	Coated steel plate (drawing color no: Y033), hairline stainless steel... (see P28 "Car material configuration table" for detail)
External Decoration Lighting	None.
Car Wall	Glass, hairline stainless steel, mirror stainless steel... (see P28 "Car material configuration table" for detail)
Car Door Type	Standard door (center open/side open), glass door (center open).
Car door material	Hairline stainless steel, mirror stainless steel... (see P28 "Car material configuration table" for detail)
Car ceiling	S00, S200, L200, L200S, L210, L210S, S300, N120, N130, N140, N300, N300S, L310, L400. (Car ceiling shown in figure: N120)
Handrail	Facade hairline stainless steel round handrail, facade mirror stainless steel round handrail.
Floor	PVC stone , parquet floor, concave car bottom (3-25mm).





LEHY-MRL-NZ31S (630kg, 800kg, 1050kg)
(1.0m/s, 1.6m/s, 1.75m/s)



- Observation Plane** Three-sided large ground observation.
- External Decoration Material** Coated steel plate, hairline stainless steel, mirror stainless steel.
- External Decoration Lighting** None.
- Car Wall** Glass, coated steel plate, hairline stainless steel...
(see P28 "Car material configuration table" for detail)
- Car Door Type** Standard door (center open),
Glass door (center open).
- Car door material** Coated steel plate, laminated steel plate...
(see P28 "Car material configuration table" for detail)
- Car ceiling** ZCL-DS12, ZCL-GS08, ZCL-GS16, ZCL-DS13,
ZCL-GN04, ZCL-GN05, ZCL-GS06, ZCL-GN02,
ZCL-GN03, ZCL-SS06, ZCL-SS08, ZCL-SN03,
ZCL-SS07, ZCL-CN01 (null), ZCL-CN08 (null).
(Car ceiling shown in the picture: ZCL-GN04)
- Handrail** Three-sided hairline stainless steel round handrail.
- Floor** PVC stone floor, concave car bottom(3-25mm),
parquet floor.

LEHY-NZ32S (1,200 kg, 1,350 kg)
(1.0 m/s, 1.6 m/s, 1.75 m/s)



- Observation Plane** All-round floor-standing observation
(without newels at corners).
- External Decoration Plate** Coated steel plate, hairline stainless steel...
(see P28 "Car material configuration table" for detail)
- External Decoration Lighting** None.
- Car Wall** Glass, hairline stainless steel, mirror stainless steel...
(see P28 "Car material configuration table" for detail)
- Car Door Type** Glass door ZPKG-050A (center open).
- Car door material** Hairline stainless steel, mirror stainless steel...
(see P28 "Car material configuration table" for detail)
- Car ceiling** S00, S200, L200, L200S, L210, L210S, S300,
N120, N130, N140, N300, N300S, L310.
(Car ceiling shown in figure: N300)
- Handrail** Three-sided hairline stainless steel round handrail,
Three-sided mirror stainless steel round handrail.
- Floor** PVC stone , parquet floor,
concave car bottom (3-25mm).
(Parquet shown in figure : ZPH-001)






Hospital Lift

We offer Hospital Elevators, which are spacious, durable and provide comfortable movement between different levels. Along with easy functions, the elevators are popular for their accurate stop with inch down and inch up button control. The emergency control features allow the traveler to tackle jerk situations with ease and safety.



PROPERTY LIFTS

Hospital Lift




PROPERTY LIFTS

Specification of Hospital Lift:

Persons	Rated capacity (kg)	Rated speed (m/s)	Net size of car (mm)	Net size of door D.WxD.H (mm)	Hoistway size (mm)			Machine room size (mm)		Machine height (m)
			C.W x C.D	2P Central opening	H.W x H.D	HR.H	P.H	MR.W x MR.D	MR.H	
13	1000	1.0	1100×2100	1000×2100	2200×2500	4500	1500	2200×2500	2900	
		1.6		2P Central opening						
21	1600	1.0	1400×2400	1000×2100	2400×2900	4500	1500	2400×2900	2900	
		1.6		2P Central opening						
24	1800	1.0	1500×2500	1100×2100	2500×3000	4500	1500	2500×3000	2900	
		1.6		2P Central opening						
13	1000	1.0	1100×2100	1100×2100	2100×2600	4500	1500	2100×2600	2900	
		1.6		2P Telescopic opening						
21	1600	1.0	1400×2400	1100×2100	2200×2900	4500	1500	2200×2900	2900	
		1.6		2P Telescopic opening						
24	1800	1.0	1500×2500	1200×2100	2300×3000	4500	1500	2300×3000	2900	
		1.6		2P Telescopic opening						
26	2000	1.0	1500×2700	1300×2100	2400×3200	4500	1500	2400×3200	2900	
		1.6		2P Telescopic opening						

Hospital Lift






Cargo Lift

Cargo lift has the bright, spacious, economical and practical car with the optimized design. It offers the swift and convenient cargo transport. It has the superior characteristics such as the fine security and reliability, smooth running, large loading capacity etc. It can be applied in various uses and environments such as factory, warehouses, shopping center, library and so on. It can always satisfy the customer's requirements. It is the finest cargo transport tool. Our cargo lifts utilize the advanced micro-computer control technology. Through the technical merge, it greatly enhances the performance and quality of the freight lift and lowers down the trouble occurrence ratio. Because it adopts the AC two-speed electric drive technology, which makes it more simple for the lift structure and more convenient for the maintenance.

We offer our clients with cargo lifts that are specially designed to be used in manufacturing units, factories, industries, automobile sectors, hospitals and retail malls. We offer cargo lifts which are spacious, durable, heavy add quick mobilization between different levels.





Cabin
SUN-H01



Floor
Chequer Steel 1



Door
2P side opening



SUN-W04 SUN-Z04

Specification of Cargo Lift:

Rated capacity (kg)	Rated speed (m/s)	Specification	Net size of a car C.W×C.D	Net size of door		Hoist way size			Machine room size		Max traveling height
				P2 telescopic opening	4P Center opening	H.W×H.DD	HR.H	P.H	MR.W×MR.D	MR.HH	
630	0.5	SCE-630	1100×1400	1100×2200	-	2100×2040	4500	1500	3000×3100	2900	30
1000	0.5	SCE-1000	1300×1750	1300×2200	-	2400×2390	4500	1500	3300×3300	2900	30
2000	0.5	SCE-2000	1500×2700	1500×2200	-	2700×3340	4500	1500	3500×3700	2900	30
	1.0							1700			
3000	0.5	SCE-3000	2000×2900	-	2000×2200	3350×3550	4600	1700	4000×3900	2900	30
5000	0.25	SCE-5000	2400×3600	-	2400×2200	4000×4250	5100	1700	4000×4200	3300	15





Car lift


GRA car elevator utilizes new data processing network. Landings and cabin of GRA10 car elevator are allocated with computer control system (CPU). They have been connected through serial transmission lines. It reduces the connecting lines amid various parts and results in more efficient and precise system control. The diagnosis program and backup system amid various computers ensure the high reliability of the parts connection. Each computer specially sets the software with the reasoning ability. It enriches and perfects man (car) – elevator interface.

We utilize the advanced and large-scale programmable gate array into the car elevators. We fulfill the monolithic integration of the system, effectively enhance the anti-interference of the system with the more simple operation and the more sensitive reaction.




GRA10 car elevator construction sketch


Hoistway elevation (Two-way door)



Machine room plan



Hoistway plan



GRA10 car elevator specifications

(Kg) Rated capacity	(m/s) Rated speed	Net size of door (mm) 4P center opening	Net size of car (mm)			Hoistway size (mm)		Machine room size (mm)			O.H (mm)	P.D (mm)	Max. Traveling height (m)
			Width	Depth	Height	Width	Depth	Width	Depth	Height			
3000	0.5	2700×2200	2700	5500	2200	4400	6100	4400	6100	2700	4800	1700	30
5000	0.25	2700×2200	2700	6000	2200	4400	6600	4400	6600	2700	4800	1700	15

Car Parking Lift



PROPERTY LIFTS



Car Parking Lift

Property Lifts is also specializes in small garage and industrial parking solutions, so our parking lifts are suitable in both commercial shops and home garages. We provide the highest quality, most technically advanced car parking solutions to our customers.

Whether you're the owner of a public parking structure or just want to get the most storage out of your private carport or garage, Property Lifts has a selection of premium parking lifts to truly maximize your work space. We offer double -stacking two -post and triple -stacking four -post configurations, all with the smallest footprints possible. Double -wide lifts are also available, offering incredible parking ability in a compact design. As with every Property Lifts product, safety and durability are our primary concern, so these rugged, compact parking lifts feature automatically engaging spring -actuated locks, plenty of hard -working muscle for busy garages, and ergonomic operator controls for superior ease-of use.

Our commitment to servicing our customers has been an important factor in our success, whether you plan on installing surface mount or free-standing parking lifts, indoors or out, you can rely on our expertise to provide the best lifts that money can buy.





Two Post Car Parking Lift

Model	Tpp201	Tpp202	Tpp3
Lifting capacity	2700kgs	2300kgs	2300kgs
Car parking height	1600mm-2100mm (multi safetylock)		
Overall height	3500mm	3010mm	3500mm
Overall weight	2565mm	2565mm	2565mm
Rated oil	18mpa	18mpa	18mpa
Drive through	2100mm	2100mm	2300mm
Car parking quantity	2*n	2*n	2*n
Rise/Drop time	45s/30s	45s/30s	45s/30s



Four post Car Parking Lift

Model No	Fpp-27	Fpp-32	Fpp-36	
Lifting Capacity	2700kg	3200 kg	3600kg	
Drive Through	1950mm	1950mm	1950mm	
Car Parking Height	1800mm / 1200mm optional	1800mm/2000mm optional	optional	1800mm/2000mm
Product Size	4800*2670*2100mm/ 5400*2670*2300mm	4800*2670*2100mm/ 5400*2670*2300mm		4800*2670*2100mm/ 5400*2670*2300mm
Paking Size	4200*1000*1000mm/ 4700*1000*1000mm	4200*1000*1000/ 4700*1000*1000mm		4200*1000*1000/ 4700*1000*1000mm
Rise/Drop Time	60s/50s	60s/50s	60s/50s	
Gross Weight	800kg/950kg	810/960kg	820/970kg	
Motor Capacity/Power	2.2kw	2.2kw	3kw	
Volatage(v)	Cusomized	Cusomized	Cusomized	
Rated Oil Pressure	18mpa	18mpa	18mpa	
Operation Mode	Mechanical unlock	Mechanical unlock		Mechanical unlock
Car parking Quantity	2pcs*n	2pcs*n	2pcs*n	
Loading Qty 20'/40'	12pcs/24pcs	12pcs/24pcs	12pcs/24pcs	
FOB Qingdao Prise (USD)	1600/1800	1700/1780	1750/1830	



Rotary Car Parking System

Model No	VRP201
	L: 5000mm
Max,car size	W:1850mm
	H: 1550mm
Availability	sedan
Motor	7.5kw x 4p

Car Parking Lift



Stacker Car Parking System

Model No	Ms906
Lifting Capacity	20000kgs
Car parking height	20000mm
Overall height	6690mm
Overall width	2680mm
Rated oil pressure	25mpa
Drive through	2200mm
Car parking quantity	3*n
Rise/Drop time	60s/50s

SRH[®]
SAFE REACH

ORIGIN of Germany & China



Hydraulic Platform Lift

Platform Lift


Hydraulic lifts are used in an extensive assortment of automotive, shipping and waste removal applications. They are an effective means of raising and lowering people, equipment, cargo and machines, and find regular use in automobile repair. Hydraulic lifts provide an excellent solution to certain nursing and disability concerns.

The Platform Lift is a cost effective, hydraulically driven unit which is designed to be installed with a maximum travel height of 6 meters. The unit is able to serve up to 4 different levels and can be fitted with either a half height gate (under 3000mm travel) or full enclosure at the top level. The standard unit is installed with manually operated swing doors and is provided in a powder coat finish as standard.



PROPERTY LIFTS

GRFH10 hydraulic freight elevator construction sketch



GRFH10 hydraulic freight elevator specifications

Rated capacity (kg)	Rated speed (m/s)	Cylinder type	Net size of car (mm)		Net size of door (mm)		Hoistway size (mm)			Machine room size (mm)		Max. Travelling height (m)
			C.W×C.D	2P Telescopic opening	4P Center opening	H.W×H.D	O.H	P.D	MR.W×MR.D	MR.H		
1000	0.5	1 cylinder 4 rails 4:2	1300×1750	1300×2200	—	2400×2150	4200	1550	2000×2150	2300	23.5	
2000	0.5	1 cylinder 4 rails 4:2	1500×2700	1500×2200	—	2600×3100	4200	1550	2000×3100	2300	23.5	
3000	0.25	2 cylinder 6 rails 2:1	2000×2900	—	2000×2200	3400×3350	4200	1550	2000×3350	2300	18	
3000	0.25	2 cylinder 6 rails 1:1	2000×2900	—	2000×2200	3400×3350	4200	1550	2000×3350	2300	9	
5000	0.25	2 cylinder 6 rails 2:1	2400×3600	—	2400×2400	4000×4050	4500	1700	2400×4050	2300	12	

Escalators


We are catering to wide requirements of our clients while undertaking turnkey projects for escalator. Our services are executed with in the shortest time frame under the supervision of our team of experts who make sure that the escalator remains functional for longer period of time. We offer escalator that are designed in compliance with international quality standard. Our escalator can fit and work where standard alternatives are not suitable. These are widely used in corporate building, shopping center, terminals, and many other places.





Type of the Balustrade

HES-LBF



Instructions to the components indicated in the figure

Internal side plate:
Rectangular side plate
rectangular glass plate
(Glass joints perpendicular to running direction of the steps)

Steps:
Integral aluminum alloy die casting step (With black coating)

Handrail:
Black (Color No. 001) (With other options available)

Internal and External Cover Plates:
hairline stainless steel

Skirt Panel:
Hairline stainless Steel

Lighting:
Handrail lighting and lighting under steps

Front Plate:
Stainless steel with Anti-skid Grooves.

Type of the Balustrade

HES-SBF



Instructions to the components indicated in the figure

Internal side plate:
rectangular glass plate
(Glass joints perpendicular to running direction of the steps)

Steps:
Integral aluminum alloy die casting step (With black coating)

Handrail:
Black (Color No. 001) (With other options available)
Internal and External Cover Plates:
Hairline stainless steel

Skirt Panel:
Hairline stainless Steel

Lighting:
Lighting under steps

Front Plate:
Stainless steel with Anti-skid Grooves.





Series HE escalators own simple and smooth appearance and first-class texture. The main parts are made of hairline stainless steel and generally is optionally made of toughened glass or stainless steel plate and other materials; a variety of trendy hand straps and colored glass panels can be selected to match with any building environment.

Type HEP-BF escalator is equipped with full of power and charming hairline fine processing, solid and durable, especially for public transportation center.

Type HES-SBF escalator is equipped with very fine stainless steel handrail guide rail with very compacted structure to make passengers feel that the hand strap slides on glass; this type of escalator is concise and lively, burnishing hotels, shopping centers and other high range places.


Type HES-LBF is equipped with lighting under handrail which creates a bright space. Quiet and smooth light specially serves as a foil to the elegance of the place.



Operation Indicator



Operations Indicator at the handrail rowal balustrade
(Only for HEP-8F)




ZIN-01
(Only for Inaccess)

Decorative Part Personal Configuration

Customize Your Own Decoration Scheme

Pinch-proof Device at the Skirting



Match silver base with black hairbrush

Skirt Panel




Hairline stainless steel

Internal and External Cover Plates




Hairline stainless steel

Steps




Aluminum Alloy Steps
With yellow mesh strips on three sides, black grey coating

Comb





Silver Aluminum Alloy

Front Plate



Stainless Steel with Antiskid Grooves






Specification of Escalators:

Model	(mm) Traveling height	(m/s) Rated speed	(p/h) Rated load capacity	(°) Inclination	Flat step num (unit)	(kw) Motor power	A (mm)	B (mm)	C (mm)	D (mm)
UE20(600/30°)	3000 <math>\leq H < 7200</math>	0.5	4500	30	2	8	600	838	1200	> 1260
UE20(800/30°)	3000 <math>\leq H < 4800</math>		6750			8	800	1038	1400	> 1460
	4800 <math>\leq H < 7200</math>									
UE20(1000/30°)	3000 <math>\leq H < 4800</math>		9000			8	1000	1238	1600	> 1660
	4800 <math>\leq H < 7200</math>									
UE30(1000/30°)	7200 <math>\leq H < 12000</math>		9000			3	2X11	1000	1238	1600



Escalators





Installation-Commissioning and Maintenance

Lift safety and reliability depends upon a planned maintenance schedule. We offer basic and fully comprehensive contracts depending on your lift needs. Our personnel offers the services 24 hours a day and 365 days a year within 30 minutes after getting call from clients. Our nation-wide serving network and parts center ensure the most prompt feedbacks and the shortest possible stopping period.

Rates will vary accordingly to the number of yearly services and breakdown coverage during the week.

During the preventive maintenance all mechanical components are checked and the lift is tuned in order to get the best performance and travel smoothness. All safeties are checked and if any parts are in need of changing will be quoted.

Lift will happily provide advice about the most appropriate inspection and maintenance programmers to ensure reliability and safety requirements are best met.





We have the capability of servicing elevator and escalator to ensure smooth and trouble free operations. We provide elevator maintenance services even after years of uses and our clients can even take genuine parts from us. With the help of our service department we offer the best maintenance and we are 24/7 ready to give our customers the best services by 360° basis.

An exclusive collection of control panel and interior parts which are very much acclaimed in the national and international standards for quality. Quality grades of raw material make the best impression to our customers.

Machines at our organizations widely used across diverse industries. Our safety electrical panel boards are available in standard as well as ign.

Our sales personnel offer the services 24 hours a day and 365 days in a year within 30 minutes after getting call from customers. Our nation-wide servicing network and parts center ensure the most prompt feedbacks.



Some examples of repairs we can perform:

- Lift car top control units.
- Lift shaft lighting
- Lift alarm systems
- Lifts push buttons
- Electronic safety edges
- Auto-dial communication units
- Motor renewal/rewind
- Renewing main hoisting ropes
- Hydraulic ram seals
- LG1 examinations
- Door operator renewal
- over-load devices
- Gearbox renewal
- Safety barriers and guarding
- Standbys for other industries





PROPERTY LIFTS

An Enterprise of



আর এফ এল

Corporate Headquarters: PRAN-RFL Center, 105 Middle Badda, Dhaka-1212, Bangladesh.
Customer Care: 09613737777, E-mail: blil@prangroup.com, Web: www.propertylifts.com